Bid Number: GEM/2026/B/8190959
Dated: 05-11-2026

Bid Corrigendum

GEM/2026/B/8190959-C3

Following terms and conditions supersede all existing “Buyer added Bid Specific Terms and conditions” given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions:

Buyer Added Bid Specific Additional Terms and Conditions

1. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
2. Buyer uploaded ATC document Click here to view the file.
3. Buyer Added text based ATC clauses

Sr No	Clause No	NIT specification	New specification
1	Technical Scope Of Work : F. Inspection & Testing F.5.iii **Soluble salt testing**	**i.** Test for presence of soluble salt as per method ISO 8502-9. Maximum allowable salt content shall be considered 20 mg/m^2. (For a given inspection area, perform five tests in the first 200 m2 area. Two tests shall then be performed in the second 200 m2 area, and then one test in every additional 200 m2 area thereafter. If any test exceeds the specified limit, then that area is considered noncompliant. After decontamination procedures have been performed, the area shall be retested and the testing frequency shall start over.)	Test for presence of soluble salt as per method ISO 8502-9. Maximum allowable salt content shall be considered 50 mg/m^2. (For a given inspection area, perform five tests in the first **500 m2** area. Two tests shall then be performed in the second **500 m2** area, and then one test in every additional **500 m2** area thereafter. If any test exceeds the specified limit, then that area is considered noncompliant. After decontamination procedures have been performed, the area shall be retested and the testing frequency shall start over.)

2	Technical Scope Of Work : **D.2 Surface Preparation** **D.2.2.i** **Pre Cleaning**	Remove contaminants viz. oil, grease, soluble salts, loose paints and debris. Prior to removal of contaminants, any heavy layers of rust shall be removed by chipping. Water cleaning shall be deployed for water soluble contaminants like salts, dirt etc. The pressure should be minimum 3000-3500 psi. To remove oil, grease etc., suitable detergents shall be added to the water. If using detergent, the surface must be rinsed with clean water	Remove contaminants viz. oil, grease, soluble salts, loose paints and debris. Prior to removal of contaminants, any heavy layers of rust shall be removed by chipping. Water cleaning shall be deployed for water soluble contaminants like salts, dirt etc. The pressure should be minimum 3000-3500 psi. To remove oil, grease etc., suitable detergents shall be added to the water. If using detergent, the surface must be rinsed with clean water. **Potable water shall be provided by RCF**.
3	Technical Scope Of Work : **F. Inspection & Testing** **F.5.II** **Assessment of Dust**	Checks shall be done on each component atleast once per 200 m2 area of cleaned surface and minimum of 3 checks per shift	Checks shall be done on each component atleast once per **500 m2** area of cleaned surface and minimum of 3 checks per shift
4	Technical Scope Of Work : **F. Inspection & Testing** **F.5.vii** **Wet Film thickness**	Wet film thickness measurements shall be made throughout the course of painting in order to ascertain the adequacy and uniformity of the thickness.	The inclusion of this clause in the NIT is not considered necessary and, therefore, may be deleted.

5	Technical Scope Of Work : **D.2 Surface Preparation** **D.2.1**	The surface preparation grade shall be **St 3** Very Thorough hand and power tool cleaning as per **ISO 8501-1** (Preparation of steel substrates before application of paints and related products-*Visual assessment of surface cleanliness*—Rust Grades and preparation grades of uncoated steel substrates and of steel substrates after overall removal of previous coatings)	The surface preparation grade shall be **St 3** Very Thorough hand and power tool cleaning as per **ISO 8501-1** (Preparation of steel substrates before application of paints and related products-*Visual assessment of surface cleanliness*—Rust Grades and preparation grades of uncoated steel substrates and of steel substrates after overall removal of previous coatings). **For areas where the specified degree of cleanliness cannot be achieved due to restricted accessibility, the ST-2 surface preparation as per ISO 8501-1, shall be carried out and shall be acceptable. Contractor may bring such area to the notice of RCF EIC before carrying out the surface preparation.**

.

Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

This Bid is also governed by the General Terms and Conditions